





KURT CLUSTER TOWER DIMENSIONS






	CTHDL(M)44		CTHDL(M)64	
	MM	INCH	MM	INCH
V	449.6	17.701	570.23	22.45
W	425.78	16.763	548.38	21.59
X	415.92	16.375	533.4	21
Y	200.03	7.875	258.88	10.192
Z	15	0.59	19.05	0.75
AA	3.05	0.12	3.95	0.156
BB	14.28	0.562	19.05	0.750
CC	11.1	0.437	15.87	0.625
DD	34.92	1.375	28.58	1.125
EE	65.1	2.563	79.38	3.125
FF	9.53	0.375	9.53	0.375
GG	M8 x 1.25	M8 x 1.25	M8 x 1.25	M8 x 1.25
Base Weight	119 Lbs		270 Lbs	

	300 MM BASE		400 MM BASE		500 MM BASE		630 MM BASE	
	MM	INCH	MM	INCH	MM	INCH	MM	INCH
A	300	11.811	400	15.748	500	19.685	630	24.803
B	25.4	1	31.75	1.25	31.75	1.25	38.1	1.5
C	20	0.79	50	1.97	60	2.36	70	2.76
D	158.75	6.25	158.75	6.25	158.75	6.25	215.9	8.5
E	101.6	4	101.6	4	101.6	4	152.4	6
F	-	-	158.75	6.25	203.2	8	254	10
G	-	-	317.5	12.5	406.4	16	508	20
H	127	5	160	6.299	200	7.874	250	9.842
J	254	10	320	12.598	400	15.748	500	19.685
K	M12 SHCS	-	M16 SHCS	-	M16 SHCS	-	M16 SHCS	-
L	-	1/2 SHCS						
M	15	0.59	18	0.709	18	0.709	18	0.790
N	40	1.575	-	-	-	-	200	3.937
O	80	3.15	-	-	-	-	100	7.874
P	M12 x 1.75	-	M16 x 2.0	-	M16 x 2.0	-	M16 x 2.0	-
Q	-	-	55	2.165	55	2.165	-	-
R	-	-	110	4.33	110	4.33	-	-
S	-	-	75	2.953	75	2.953	-	-
T	-	-	150	5.906	150	5.906	-	-
U	-	-	25	0.984	25	0.984	25	0.984

JAW POSITIONING


Note: Dimensions below are in inches unless specified.

	4-inch CTHDL4	6-inch CTHDL6
AA	2.984	4.00
BB	6.437	8.72
CC	4.781	5.96
DD	7.687	10.69



SIDE & END VIEW

Note: Dimensions below are in inches unless specified.



	4-inch CTHDL4	6-inch CTHDL6
A	2.375	3.125
B	4.000	6.000
C	16.375	21.00
D	2.344	2.690
E	7.875	10.187
F	1.326	1.450
J	1.115	1.485
K	2.906	4.00
L	1.235	1.735
M	0.547	0.725
O	2.500	3.875
P	M8 x 1.25	1/2 -13
CC	1.375	1.300
DD	2.563	3.300
FF Max	3.00	4.00

